



5002 (1.75")



5017 (2.25")



5048/5148 (2.625")



5003 (2")



5004/5149 (2.625")



5006 (1.75")



5032/5139 (2.125")



5046/5146 (2.625")



5010/5151 (2")



5070/5123 (2.625")



5016 (1.75")



5021/5145 (2.625")



5062 (1.75")



5053/5153 (2.625")



5028/5155 (2")



5075/5127 (2.625")

www.baldwinhardwaredirect.com

1.800.358.2469



5035/5156 (2")




5076/5129 (2.625")



5038/5157 (2")



5078/5134 (2.625")



5042/5142 (2.63" x 4.125")



5058/5158 (2.625")



5047/5147 (2.625")



5056/5160 (2")



R003 (2") PS/PV



R004 (2.625") PS/PV



R007 (2") PS/PV



R008 (2.625") PS/PV



R011 (2") PS/PV



R012 (2.625") PS/PV



R016 (2.625") PS/PV



R017 (2.625") PS/PV

www.baldwinhardwaredirect.com

1.800.358.2469



R026 (3") PS/PV



R027 (2.81" x 3.25") PS/PV



R028 (2.81" x 5.65") PS/PV



R030 (2.81" x 3.95") PS/PV



R031 (2.81" x 5.9") PS/PV



R033 (2.75" x 3.225") PS/PV



R034 (2.75" x 5.25") PS/PV



R036 (2.75" x 3.225") PS/PV



R037 (2.75" x 5.25") PS/PV



R045 (2.15" x 3.25") PS/PV



R046 (2.65" x 4.2") PS/PV



R049 (2.25") PS/PV



R050 (2.6875") PS/PV

www.baldwinhardwaredirect.com

1.800.358.2469

Approx 10" Rosettes (available for Passage, Privacy, Dummy and Keyed Entry Functions)
CTC of Keyed function is 5.5"



R029 (2.81" x 10.14")



R032 (2.81" x 10.53")



R035 (2.75" x 9.4")



R038 (2.75" x 9.4")



R047 (2.85" x 10.1")



R048 (2.63" x 9.8")



R051 (2.9375" x 9.78125")
Passage function shown

www.baldwinhardwaredirect.com

1.800.358.2469